


CATALOGUE



CliniSutTM
sutures

HOW TO USE THIS CATALOGUE

The following sequence is used to code a suture:



A PLAIN GUT STRAND, 2/0 GAUGE, ATTACHED TO A 24mm CONVENTIONAL CUTTING NEEDLE

CODE 1 MATERIAL		CODE 2 GAUGE	CODE 3 LENGTH	CODE 4 POINT SHAPE
1	GUT, PLAIN - CliniGut	6 = 6/0	NEEDLE LENGTH IN mm	TF TAPER FINE
2	GUT, CHROMIC - CliniGut	5 = 5/0		TH TAPER HEAVY
3	POLYGLYCOLIC ACID - CliniSorb	4 = 4/0		TC TAPER CUTTING
Q3	POLYGLYCOLIC ACID - CliniSorb Q	3 = 3/0		TCH TAPER CUTTING HEAVY
4	TROFILENE - CliniTro	2 = 2/0		RC REVERSE CUTTING
5	SILK - CliniSilk	0 = 0		FRC FINE REVERSE CUTTING
6	NYLON - CliniLon	1 = 1		CC CONVENTIONAL CUTTING
7	POLYESTER FIBRE - CliniEster	22 = 2		FCC FINE CONVENTIONAL CUTTING
8	POLY (P-DIOXANONE) - CliniSolv			ST STRAIGHT TAPER
Q8	POLY (GLYCOLIDE-CO-CAPROLACTONE) - CliniMono Q			SC STRAIGHT CUTTING
9	POLYPROPYLENE - CliniLene			BP BLUNT POINT
10	LINEN - CliniLin			SG SUPER GLIDE (REVERSE CUTTING)

NEEDLE PROFILES

⊕ TAPER CUTTING

● ROUND BODY

▲ CONVENTIONAL CUTTING

▼ REVERSE CUTTING

The International Colour Coding system is used for CliniSut sutures and is as depicted on the page on which the suture appears.



INDEX

CliniGut

PLAIN CATGUT SUTURES

PG
4-5

Tensile strength maintained for 7 - 10 days.
Absorption complete in 90 days.
Used in tissues which heal rapidly and require minimum support-ligating superficial blood vessels and suturing subcutaneous fatty tissue.

CliniGut

CHROMIC CATGUT SUTURES

PG
6-9

Tensile strength maintained for 10 - 14 days.
Absorption complete in 90 days. Suitable for gynae procedures, general surgery, urology, approximation of fatty tissue and sub-cutaneous layers

CliniSorb

VIOLET BRAIDED PGA SUTURES

PG
10-16

Predictable absorption 85% of tensile strength at 14 days, 50% at 21 days and 25% at 28 days, absorption complete in 56 - 70 days.
Indications are dental, general skin closure, gynae, plastic, general, orthopedic and urology.

CliniSorb Q

BRAIDED PGA SUTURES UNDYED

PG
17-18

Tensile strength maintained for 7 - 10 days.
Absorption complete in 42 days.
Indications for superficial soft tissue and approximation of skin and soft tissue.

CliniTro

POLY VINYLIDENE FLUORIDE SUTURES

PG
19

A new generation of synthetic, non-absorbable monofilament suture. Excellent handling and tying properties. Inert, very smooth and virtually no memory.
Used in skin closure, vascular and orthopedic surgery.

CliniSilk

BRAIDED SILK SUTURES

PG
20-22

Braided multifilament non-absorbable suture. Silicone coated to prevent wicking, very supple, high knot security.
Indicated for soft tissue approximation and ligation.

CliniLon

NYLON MONOFILAMENT SUTURES

PG
23-26

Synthetic monofilament, non-absorbable suture. High tensile strength, low tissue reactivity, non capillarity.
Easy handling and excellent passage through tissue and secure knotting. Used for skin closure, general soft tissue approximation and ligation.

CliniEster

POLYESTER BRAIDED SUTURES

PG
27-28

Synthetic braided non-absorbable suture. High tensile strength. Minimal acute inflammatory reaction.
Suitable for cardiac and orthopedic surgery - tendon repairs, valve replacement.

CliniSolv

POLY P-DIOXANONE MONOFILAMENT SUTURES

PG
29-30

Predictable absorption 70% of tensile strength at 14 days, 50% at 56 days. Absorption complete in 180 - 210 days.
Indicated for skin closure and non-permanent wound support - urology, orthopedic, general and gynae.

CliniMono Q

UNDYED PGCL RAPID MONOFILAMENT SUTURES

PG
31-32

High initial tensile strength diminishing after 14 days. 60% tensile strength at 7 days, 40% at 14 days and absorption complete in 90 days.
Used for skin closure and non-permanent wound support, general, gynae, urology and plastic.

CliniLene

POLYPROPYLENE BRAIDED SUTURES

PG
33-34

Synthetic monofilament non-absorbable suture. Exceptionally smooth, pliable and soft. Totally inert, high tensile strength and very good knot security. Indicated for plastic surgery, digestive procedures, cardiac vascular and arteriotomy, general surgery and hernia repairs.

CliniSut[™]
sutures



PLAIN CATGUT SUTURES

	Needle Size	USP Gauge		0	1	2/0	3/0	4/0	5/0
		Needle Description	Strand Length						
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	75cm					1416CC	
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	75cm					1417TF	1517TF
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	75cm				1319RC	1419RC	
	20mm	1/2 Taper Fine	75cm				1320TF		
 TAPER FINE (TF) ●	22mm	1/2 Taper Fine	75cm			1222TF			
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	75cm			1224RC			
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm				1326RC		
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm					1426TF	
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm		1130TF	1230TF	1330TF		



PLAIN CATGUT SUTURES

	Needle Size	USP Gauge		0	1	2/0	3/0	4/0	5/0
		Needle Description	Strand Length						
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	75cm	1036TF					
 TAPER HEAVY (TF) ●	36mm	1/2 Taper Heavy	75cm		1136TH				
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	75cm	1040TF	1140TF				
 TAPER HEAVY (TF) ●	40mm	1/2 Taper Heavy 1/2 Circle Rev. Cut	75cm	1140TH 1140RC					
 TAPER FINE (TF) ●	50mm	1/2 Taper Fine	75cm			1250TF			
PLAIN CATGUT LIGATURES		Tie x 1	150cm				P102		
PLAIN CATGUT LIGATURES		Tie x 1	150cm	P104					



CHROMIC CATGUT SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
 REVERSE CUTTING (RC) ▼	12mm	3/8 Rev. Cut	45cm										2612RC
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	75cm								2413RC	2513RC	
 REVERSE CUTTING-DOUBLE (RC2) ▼	13mm	3/8 Rev. Cut x 2	75cm								2413RC2		
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	75cm							2316CC	2416CC		
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	75cm								2416RC	2516RC	
 TAPER FINE (TF) ●	16mm	3/8 Taper Fine	75cm								2416TF		
 TAPER FINE (TF) ●	16mm	1/2 Taper Fine	75cm									2516TF	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	75cm							2319RC	2419RC	2519RC	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Super Glide	75cm							2319SG	2419SG		
 TAPER FINE (TF) ●	20mm	1/2 Taper Fine	75cm				2220TF			2320TF	2420TF		
 TAPER FINE (TF) ●	22mm	1/2 Taper Fine	75cm							2322TF	2422TF		
	24mm	3/8 Rev. Cut	75cm						2224RC	2324RC			



CHROMIC CATGUT SUTURES

				USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
	Needle Size	Needle Description	Strand Length										
	25mm	1/2 Taper Fine	75cm						2225TF	2325TF			
 REVERSE CUTTING (RC) ▼	26mm	1/2 Rev. Cut	75cm					2026RC	2226RC				
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm							2326RC	2426RC		
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm						2226TF	2326TF	2426TF		
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	75cm				2130RC		2230RC	2330RC			
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	90cm						2230RC90				
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm				2130TF	2030TF	2230TF	2330TF			
 TAPER HEAVY (TH) ●	30mm	1/2 Taper Heavy	75cm						2230TH				
	35mm	1/2 Taper Fine	75cm						2235TF				



CHROMIC CATGUT SUTURES

				USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
	Needle Size	Needle Description	Strand Length										
	35mm	1/2 Taper Heavy	75cm	22235TH									
 REVERSE CUTTING (RC) ▼	36mm	1/2 Rev. Cut	75cm		2136RC	2036RC	2236RC						
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	75cm			2036TF							
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	75cm	22240RC	2140RC	2040RC							
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	90cm					2240RC					
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	75cm		2140TF	2040TF	2240TF						
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	75cm	22240TH	2140TH	2040TH	2240TH						
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	90cm		2140TH90								
 BLUNT POINT (BP) ●	40mm	1/2 Blunt Point	75cm		2140BP								



CHROMIC CATGUT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER HEAVY (TH) ●	45mm	1/2 Taper Heavy	75cm	22245TH	2145TH		2245TF				
 TAPER HEAVY (TH) ●	48mm	1/2 Taper Heavy 1/2 Circle Rev. Cut	75cm	22248TH	2148TH 2148RC						
 TAPER HEAVY (TH) ●	48mm	1/2 Taper Heavy 1/2 Circle Rev. Cut	90cm		2148TH90 2148RC90						
 REVERSE CUTTING (RC) ▼	50mm	1/2 Rev. Cut	75cm	22250RC	2150RC						
 TAPER HEAVY (TH) ●	50mm	1/2 Taper Heavy	75cm	22250TH	2150TH	2050TH					
 BLUNT POINT (BP) ●	50mm	1/2 Blunt Point	75cm		2150BP						
 BLUNT POINT (BP) ●	63mm	3/8 Blunt Point	75cm		2163BP						
 BLUNT POINT (BP) ●	64mm	3/8 Blunt Point	75cm			2064BP					
CHROMIC CATGUT LIGATURES		Tie x 1	150cm					C212			
CHROMIC CATGUT LIGATURES		Tie x 1	150cm				C213				
CHROMIC CATGUT LIGATURES		Tie x 1	150cm			C214					
CHROMIC CATGUT LIGATURES		Tie x 1	150cm		C215						



VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
	12mm	3/8 Conv. Cut	45cm Undyed									3512RC-U	
	12mm	3/8 Rev. Cut	45cm									3512RC	3612RC
	12mm x 2	3/8 Rev. Cut	45cm										3612RC2
	12mm	3/8 Rev. Cut	75cm										3612RC75
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	45cm								3413RC	3513RC	3613RC
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	45cm Undyed									3513FRC-U	3613RC-U
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	75cm								3413RC75	3513RC75	
 SUPER GLIDE UNDYED (SG-U) ▼	13mm	3/8 Super Glide	45cm Undyed								3413SG-U	3513SG-U	3613SG-U
 TAPER FINE (TF) ●	13mm	1/2 Taper Fine	45cm Undyed									3513TF 3513TF-U	3613TF
 TAPER FINE (TF) ●	13mm	3/8 Taper Fine	60cm							3313TF	3413TF		
 TAPER FINE (TF) ●	13mm	1/2 Taper Fine	75cm									3513TF75	3613TF75
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	45cm Undyed							3316CC 3316 CC-U	3416CC		
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	75cm									3516CC	
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	45cm Undyed								3416RC 3416RC-U	3516RC 3516RC-U	3616RC 3613RC-X




VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	75cm							3316RC	3416RC75	3516RC75	
 SUPER GLIDE UNDYED (SG-U) ▼	16mm	3/8 Super Glide	70cm Undyed									3516SG-U	
	16mm	1/2 Taper Fine	75cm Undyed								3416TF 3416TF-U	3516TF	
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	70cm							3317TF	3417TF		
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	75cm							3317TF75		3517TF	
	18mm	3/8 Conv. Cut	45cm Undyed								3418CC-U		
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	45cm						3219RC	3319RC	3419RC	3519RC	
 REVERSE CUTTING-UNDYED (RC) ▼	19mm	3/8 Rev. Cut	45cm Undyed							3319RC-U	3419RC-U		
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	75cm Undyed						3219RC75	3319RC75 3319RC75-U	3419RC75	3519RC75 3519RC75-U	
 SUPER GLIDE UNDYED (SG-U) ▼	19mm	3/8 Super Glide	70cm							3319SG-U	3419SG-U		
 CONVENTIONAL CUTTING (CC) ▲	20mm	3/8 Conv. Cut	75cm							3320CC			
 TAPER FINE (TF) ●	20mm	1/2 Taper Fine	75cm							3320TF	3420TF	3520TF	
 TAPER FINE (TF) ●	20mm	1/2 Taper Fine	90cm							3320TF90			
 CONVENTIONAL CUTTING (C) ▲	22mm	1/2 Conv. Cut	45cm							3322CC			






VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
 TAPER FINE (TF) ●	22mm	1/2 Taper Fine	70cm							3322TF			
 TAPER FINE (TF) ●	22mm	1/2 Taper Fine	75cm						3222TF	3322TF75	3422TF		
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	70cm						3224RC	3324RC	3424RC		
 REVERSE CUTTING UNDYED (RC-U) ▼	24mm	3/8 Rev. Cut	70cm Undyed						3224RC-U	3324RC-U			
 SUPER GLIDE UNDYED (SG-U) ▼	24mm	3/8 Super Glide	70cm Undyed						3224SG-U	3324SG-U			
	25mm	1/2 Taper Cut	75cm						3225TC				
 CONVENTIONAL CUTTING (CC) ▲	26mm	3/8 Conv. Cut	75cm						3226CC	3326CC	3426CC		
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	45cm							3326RC	3426RC		
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm					3026RC	3226RC	3326RC75			
 TAPER CUTTING (TC) ⊕	26mm	1/2 Taper Cut	70cm							3326TC			
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	70cm						3226TF	3326TF			
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm					3026TF		3326TF75	3426TF		
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	90cm						3226TF90	3326TF90			
	28mm	5/8 Taper Heavy	70cm						3228TH				



VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge							
				2	1	0	2/0	3/0	4/0	5/0	6/0
	28mm	5/8 Taper Heavy	90cm			3028TH					
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	70cm			3030RC	3230RC				
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	75cm			3030RC 3030RC		3330RC			
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	90cm		3130RC						
 TAPER CUTTING (TC) ⊕	30mm	3/8 Taper Cut	75cm			3030TC					
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	70cm					3330TF			
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm		3130TF	3030TF	3230TF	3330TF75			
 TAPER HEAVY (TH) ●	30mm	1/2 Taper Heavy	75cm		3130TH	3030TH					
 TAPER HEAVY (TH) ●	30mm	1/2 Taper Heavy	90cm		3130TH90	3030TH90	3230TH90				
 TAPER CUTTING (TC) ⊕	35mm	1/2 Taper Cut	75cm				3235TC				
 TAPER FINE (TF) ●	35mm	1/2 Taper Fine	90cm		3135TF						
		1/2 Taper Heavy		32235TH90	3135TH90						
 TAPER HEAVY (TH) ●	35mm	1/2 Taper Heavy	90cm	3235TH90 3235TH90	7136			3316CC			
 REVERSE CUTTING (RC) ▼	36mm	1/2 Rev. Cut	90cm		3136RC	3036RC	3236RC				




VIOLET BRAIDED PGA SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER CUTTING (TC) ⊕	36mm	1/2 Taper Cut	90cm		3136TC	3036TC					
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	70cm			3036TF		3336TF			
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	75cm				3236TF				
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	90cm				3236TF90				
 TAPER HEAVY (TH) ●	36mm	1/2 Taper Heavy	70cm		3136TH	3036TH					
 TAPER HEAVY (TH) ●	36mm	1/2 Taper Heavy	90cm		3136TH90	3036TH90					
	37mm	1/2 Blunt Point	90cm			3037BP					
 BLUNT POINT (BP) ●	40mm	1/2 Blunt Point	90cm	32240BP	3140BP	3040BP					
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	75cm		3140RC75		3240RC75				
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	90cm	32240RC	3140RC	3040RC	3240RC				
 TAPER CUTTING (TC) ⊕	40mm	1/2 Taper Cut	90cm		3140TC						
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	75cm		3140TF	3040TF					



VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge							
				2	1	0	2/0	3/0	4/0	5/0	6/0
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	90cm				3240TF				
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	75cm		3140TH75		3240TH75				
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	90cm	32240TH	3140TH	3040TH	3240TH				
	40mm	1/2 Taper Cut & Taper Heavy	180cm		3140TC-TH						
 BLUNT POINT (BP) ●	45mm	1/2 Blunt Point	90cm	32245BP							
 REVERSE CUTTING (RC) ▼	45mm	3/8 Rev. Cut	75cm				3245RC				
 TAPER HEAVY (TH) ●	45mm	1/2 Taper Heavy	75cm	32245TH	3145TH	3045TH					
 TAPER HEAVY (TH) ●	45mm	1/2 Taper Heavy	90cm	32245TH90	3145TH90						
 BLUNT POINT (BP) ●	48mm	1/2 Blunt Point	90cm		3148BP						
 REVERSE CUTTING (RC) ▼	48mm	1/2 Rev. Cut	75cm	32248RC75							
 REVERSE CUTTING (RC) ▼	48mm	1/2 Rev. Cut	90cm	32248RC	3148RC						



VIOLET BRAIDED PGA SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge							
				2	1	0	2/0	3/0	4/0	5/0	6/0
 TAPER HEAVY (TH) ●	48mm	1/2 Taper Heavy	90cm	32248TH	3148TH	3048TH					
 REVERSE CUTTING (RC) ▼	50mm	1/2 Rev. Cut	75cm	32250RC		3050RC					
 REVERSE CUTTING (RC) ▼	50mm	1/2 Rev. Cut	90cm	32250RC90							
 TAPER HEAVY (TH) ●	50mm	1/2 Taper Heavy	70cm	32250TH		3050TH					
 TAPER HEAVY (TH) ●	50mm	1/2 Taper Heavy	75cm		3150TH						
 TAPER HEAVY (TH) ●	50mm	1/2 Taper Heavy	90cm	32250TH90							
 STRAIGHT CUTTING (SC) ▲	55mm	Straight Cut	75cm				3255SC				
 STRAIGHT CUTTING (SC) ▲	60mm Undyed	Straight Cut	70cm				3260SC 3260SC-U	3360SC			
	63mm	3/8 Blunt Point	90cm		3163BP						
		Tie x 1	150cm					G3024			
		Tie x 1	150cm				G3025				
		Tie x 1	150cm			G3026					
		Tie x 1	150cm		G3027						
		Tie x 1	150cm	G3028							
		Tie x 1	135cm					G314	G313		
		Tie x 1	135cm				G315				
		Tie x 1	135cm			G316					
		Tie x 1	135cm		G317						
		Tie x 5	70cm		G3217			G3214	G3213		
		Tie x 5	70cm				G3215				
		Tie x 10	52cm	G3047					G3043		





BRAIDED PGA SUTURES UNDYED

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 SUPER GLIDE UNDYED (SG-U) ▼	13mm	3/8 Rev. Cut 3/8 Super Glide	45cm 45cm undyed						Q34135C-U Q34135C-U	Q35135C-U Q35135C-U	Q3611FRC-U
 SUPER GLIDE UNDYED (SG-U) ▼	13mm	3/8 Super Glide	70cm undyed								Q36135C-U Q36135C-U
 TAPER FINE-UNDYED (TF-U) ●	13mm	1/2 Taper Fine	45cm undyed								Q3613TF-U
	16mm	3/8 Rev. Cut 3/8 Conv. Cut	70cm undyed 75cm						Q3416CC-U	Q3516C-U Q3516C-U	
 TAPER FINE-UNDYED (TF-U) ●	17mm	1/2 Taper Fine	75cm undyed						Q3417TF-U	Q3517TF-U	
	19mm	3/8 Rev. Cut	45cm undyed					Q3319RC-U	Q3419FRC-U	Q3519FRC-U	
	19mm	3/8 Rev. Cut	75cm undyed					Q3319RC75-U Q3319RC75-U			
 SUPER GLIDE UNDYED (SG-U) ▼	19mm	3/8 Super Glide	70cm undyed						Q34195C-U Q34195C-U	Q35195C-U Q35195C-U	
	20mm	3/8 Conv. Cut	75cm undyed						Q3420CC-U		
 CONVENTIONAL CUTTING UNDYED (CC-U) ▲	22mm	3/8 Conv. Cut	45cm undyed					Q3322CC-U	Q3422CC-U		
 TAPER FINE-UNDYED (TF-U) ●	22mm	1/2 Taper Fine	75cm undyed					Q3322TF-U	Q3422TF-U		
	24mm	3/8 Rev. Cut	70cm undyed					Q3324RC-U			
	24mm	3/8 Rev. Cut	75cm undyed				Q3224RC-U				
 SUPER GLIDE UNDYED (SG-U) ▼	24mm	3/8 Super Glide	70cm undyed				Q32245C-U Q32245C-U	Q33245C-U Q33245C-U			



BRAIDED PGA SUTURES UNDYED

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
	26mm	3/8 Rev. Cut	75cm undyed							Q3326RC-U			
 TAPER FINE-UNDYED (TF-U) ●	26mm	1/2 Taper Fine	75cm undyed							Q3326TF-U			
 TAPER FINE-UNDYED (TF-U) ●	26mm	1/2 Taper Fine	90cm undyed						Q3226TF-U				
 TAPER FINE-UNDYED (TF-U) ●	30mm	1/2 Taper Fine	75cm undyed							Q3330TF-U			
 REVERSE CUTTING-UNDYED (RC-U) ▼	36mm	1/2 Rev. Cut	90cm undyed						Q3236RC-U				
 TAPER FINE-UNDYED (TF-U) ●	36mm	1/2 Taper Fine	90cm undyed					Q3036TF-U	Q3236TF-U				
 TAPER HEAVY-UNDYED (TH-U) ●	36mm	1/2 Taper Heavy	90cm undyed					Q3036TH-U					
 TAPER HEAVY-UNDYED (TH-U) ●	40mm	1/2 Taper Heavy	90cm undyed				Q3140TH-U	Q3040TH-U					
 REVERSE CUTTING-UNDYED (RC-U) ▼	40mm	1/2 Rev. Cut	90cm undyed				Q3140RC-U						
 STRAIGHT CUTTING-UNDYED (SC-U) ▼	60mm	Straight Cut	75cm undyed						Q3260SC-U	Q3360SC-U			



POLY VINYLIDENE FLOURIDE SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
 SUPER GLIDE (SG) ▼	13mm	3/8 Super Glide	45cm										4613SC 4613RC
 TAPER FINE (TF) ●	13mm	1/2 Taper Fine	45cm										4613TF
 SUPER GLIDE (SG) ▼	16mm	3/8 Super Glide	70cm									4516RC 4516SC	4616RC 4616SC
	19mm	3/8 Rev. Cut	45cm							4319RC	4419RC	4519RC	
 SUPER GLIDE (SG) ▼	19mm	3/8 Super Glide	70cm						4319SC 4319RC	4419SC 4419RC	4519SC 4519RC		
	24mm	3/8 Rev. Cut	45cm							4324RC			
 SUPER GLIDE (SG) ▼	24mm	3/8 Super Glide	70cm						4224SC 4224RC	4324SC 4324RC	4424SC 4424RC		
	26mm	3/8 Rev. Cut	45cm						4226RC				
	39mm	3/8 Rev. Cut	75cm							4339RC			
 CONVENTIONAL CUTTING (CC) ▲	90mm	3/8 Conv. Cut	100cm						4290CC				
REVERSE CUTTING (RC)	30mm	3/8 Circle Rev. Cut	90cm				4130RC		4230RC				




BRAIDED SILK SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 REVERSE CUTTING (RC) ▼	12mm	3/8 Rev. Cut	45cm							5512RC	5612RC
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	45cm						5413RC		
 REVERSE CUTTING (RC2) ▼	13mm	3/8 Rev. Cut x 2	45cm						5413RC2		
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	45cm 75cm					5316CC	5416CC	5516CC	
	16mm	3/8 Conv. Cut x 2	75cm						5416CC2		
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	45cm						5416RC		
 REVERSE CUTTING (RC) ▼	16mm	3/8 Taper Fine 3/8 Rev. Cut 1/2 Taper Fine	75cm 75cm 75cm						5416TF 5416RC75 5416TF12		
	18mm	1/2 Taper Fine x 2	60cm					5318TF2			
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	45cm				5219RC	5319RC	5419RC	5519RC	5619RC
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	75cm					5319RC75	5419RC75		
 TAPER FINE (TF) ●	20mm	1/2 Taper Fine	75cm					5320TF	5420TF	5520TF	
 CONVENTIONAL CUTTING (CC) ▲	22mm	1/2 Taper Fine 1/2 Conv. Cut	75cm 45cm					5322TF 5322CC			
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	45cm					5324RC 75			
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	75cm				5224RC	5324RC75			



BRAIDED SILK SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 REVERSE CUTTING (RC) ▼	25mm	3/8 Conv. Cut	45cm								
	26mm	3/8 Rev. Cut	45cm				5226RC	5326RC	5426CC 5426RC	5525FCC	
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm				5226RC75	5326RC75			
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm			5026TF	5226TF	5326TF	5426TF		
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	45cm		5130RC	5030RC	5230RC				
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	75cm			5030RC75					
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm		5130TF	5030TF	5230TF				
 TAPER FINE (TF) ●	30mm	1/2 Taper Heavy	75cm		5130TH						
 TAPER FINE (TF) ●	34mm	1/2 Taper Fine	75cm		5134TF						
 REVERSE CUTTING (RC) ▼	35mm	1/2 Rev. Cut	75cm			5035RC	5235RC				
 TAPER HEAVY (TH) ●	35mm	1/2 Taper Heavy	75cm	52235TH	5135TH						
		1/2 Rev. Cut	75cm		5136RC						
	36mm	1/2 Taper Heavy	75cm			5036TH					
	40mm	1/2 Rev. Cut	75cm				5240RC				







BRAIDED SILK SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	75cm		5140TF	5040TF	5240TF				
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	75cm	52240TH	5140TH						
 REVERSE CUTTING (RC) ▼	45mm	3/8 Rev. Cut	75cm			5045RC	5245RC				
	48mm	3/8 Rev. Cut	100cm		5148RC						
 REVERSE CUTTING (RC) ▼	50mm	1/2 Taper Fine 3/8 Rev. Cut	75cm 75cm			5050TF 5050RC					
 REVERSE CUTTING (RC) ▼	50mm	3/8 Rev. Cut	100cm	52250RC							
 CONVENTIONAL CUTTING (CC) ▲	80mm	3/8 Conv. Cut	100cm			5080CC	5280CC				
 CONVENTIONAL CUTTING (CC) ▲	90mm	3/8 Conv. Cut	100cm	52290CC	5190CC	5090CC	5290CC				
		Tie x 13	60cm	S516	S515						
		Tie x 10	75cm				S523				
		Tie x 10	75cm		S525						
		Tie x 1	180cm		7				S591		
		Tie x 1	180cm					S292			
		Tie x 1	180cm				S593				
		Tie x 1	180cm			S294					
		Tie x 1	180cm		S595						
		Tie x 1	180cm	S596							




NYLON MONOFILAMENT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 REVERSE CUTTING (RC) ▼	12mm	3/8 Rev. Cut	45cm							6512RC	6612RC
 REVERSE CUTTING (RC) ▼	12mm	3/8 Rev. Cut	70cm								6612RC70
 REVERSE CUTTING (RC) ▼	13mm	3/8 Rev. Cut	45cm						6413RC	6513RC	
	13mm	3/8 Super Glide	45cm							Discontinued 6513SG	Discontinued 6613SG
	15mm	3/8 Conv. Cut	45cm							6515FCC	
 CONVENTIONAL CUTTING (CC) ▲	16mm	3/8 Conv. Cut	45cm					6316CC	6416CC	6516CC	
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	45cm						6416RC	6516RC	6616RC
 REVERSE CUTTING (RC) ▼	16mm	3/8 Rev. Cut	75cm						6416RC75	6516RC75	
	16mm	3/8 Super Glide	45cm							Discontinued 6516SG	Discontinued 6616SG
	18mm	3/8 Conv. Cut	45cm							6518CC	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	45cm				6219FRC	6319RC	6419RC	6519RC	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	75cm					6319RC75	6419RC75	6519RC75	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	90cm						6419RC90		
	19mm	3/8 Super Glide	45cm				Discontinued 6319SG	Discontinued 6419SG	Discontinued 6519SG		
 CONVENTIONAL CUTTING (CC) ▲	20mm	3/8 Conv. Cut	45cm					6320CC	6420CC/FCC	6520FCC	




NYLON MONOFILAMENT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
	20mm	1/2 Taper Fine	75cm						6420TF		
 TAPER FINE (TF) ●	22mm	1/2 Taper Fine	75cm				6222TF	6322TF			
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	45cm				6224RC	6324RC	6424RC	6524RC	
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	75cm 90cm				6224RC75 6224RC90	6324RC75	6424RC75		
	24mm	3/8 Super Glide	45cm				6224SG Discontinued	6324SG Discontinued			
 CONVENTIONAL CUTTING (C) ▲	25mm	3/8 Conv. Cut	45cm				6225CC	6325FCC			
 TAPER FINE (TF) ●	25mm	1/2 Taper Fine	75cm						6425TF		
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	45cm				6226RC	6326RC			
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm 90cm				6226RC75	6326RC75 6326RC90			
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	75cm			6030RC	6230RC	6330RC			
 REVERSE CUTTING (RC) ▼	30mm	3/8 Rev. Cut	100cm		6130RC						
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm			6030TF	6230TF				
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	100cm		6130TF						
 TAPER FINE (TF) ●	30mm	1/2 Taper Heavy	100cm		6130TH						
 REVERSE CUTTING (RC) ▼	35mm	3/8 Rev. Cut	75cm				6235RC				




NYLON MONOFILAMENT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
	36mm	3/8 Rev. Cut	90cm				6236RC90				
	37mm	1/2 Rev. Cut	75cm		6137RC	6036RC	6236RC				
 REVERSE CUTTING (RC) ▼	39mm	3/8 Rev. Cut	75cm					6339RC			
 CONVENTIONAL CUTTING (CC) ▲	40mm	3/8 Conv. Cut	45cm				6240CC				
 REVERSE CUTTING (RC) ▼	40mm	3/8 Rev. Cut	75cm		6140RC75		6240RC				
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	100cm	62240RC	6140RC	6040RC					
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	100cm		6140TF	6040TF					
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	100cm	62240TH	6140TH	6040TH					
		1/2 Taper Heavy Loop	240cm		6140THL						
 REVERSE CUTTING (RC) ▼	45mm	3/8 Rev. Cut	100cm				6245RC				
 TAPER CUTTING LOOP (TCL) ⊕	45mm	1/2 Taper Cut Heavy	240cm Loop		6145TCL	6045TCL					
 REVERSE CUTTING (RC) ▼	50mm	1/2 Rev. Cut	100cm		6150RC						
		1/2 Rev. Cut	150cm		6150RC150						

CS_PE_7.10 Rev. 1




POLYESTER BRAIDED SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER CUTTING (TC2) ⊕	13mm 17mm	3/8 Taper Fine 1/2 Taper Cut x 2	75cm 75cm					7317TC2	7413TF2 7317TF2		
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	75cm					7137TF			7517TF
 TAPER FINE (TF2) ●	17mm	1/2 Taper Fine x 2	60cm						7317TF2		
 TAPER FINE (TF2) ●	20mm	1/2 Taper Fine x 2	75cm							7420TF2	
 TAPER FINE (TF2) ●	20mm	1/2 Taper Fine x 2	90cm						7320TF2		
 TAPER CUTTING (TC2) ⊕	26mm	1/2 Taper Cut x 2	90cm					7226TC2			
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm					7226TF			
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	90cm						7326TF		
 TAPER FINE (TF2) ●	26mm	1/2 Taper Fine x 2	90cm					7226TF2	7326TF2		
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm				7030TF				
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	75cm					7230TF	7330TF		
	36mm	1/2 Rev. Cut	75cm		7136RC						
	36mm	1/2 Taper Heavy	75cm				7036TH				



POLYESTER BRAIDED SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
	37mm	1/2 Taper Heavy	75cm					7137TH					
	40mm	1/2 Taper Heavy	75cm					7140TH					
	40mm	1/2 Taper Cut	75cm				72240TC						
	48mm	1/2 Taper Heavy	90cm				72248TH						
 TAPER HEAVY CERVIX SUTURES 5mm POLYESTER TAPE	48mm	1/2 Taper Heavy x2	50cm	CS48									
 BLUNT POINT CERVIX SUTURES 5mm POLYESTER TAPE	65mm	1/2 Blunt Point x 2	50cm	CS65B									




POLY P-DIOXANONE MONOFILAMENT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
	13mm	3/8 Rev. Cut	70cm							8513RC	
	13mm	1/2 Taper Fine Double Arm	70cm 90cm								8613TF 8613TF2
	13mm	1/2 Taper Fine Double arm	75cm							8513TF 8513TF2	
	16mm	3/8 Rev. Cut	45cm							8516RC	
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	70cm					8317TF	8417TF	8517TF	
	17mm	1/2 Taper Fine x 2	90cm							8517TF2	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	45cm					8319RC			
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	70cm						8419RC	8519RC	
	20mm	1/2 Taper Cut	70cm					8320TC			
 TAPER FINE (TF) ●	20mm	1/2 Taper Fine	70cm					8320TF	8420TF		
	22mm	1/2 Taper Fine	70cm					8322TF	8422TF		
 REVERSE CUTTING (RC) ▼	24mm	3/8 Rev. Cut	70cm				8224RC	8324RC	8424RC		
	25mm	1/2 Taper Cut	70cm				8225TC				
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	70cm				8226RC	8326RC			
 REVERSE CUTTING (RC) ▼	26mm	1/2 Rev. Cut	70cm				Discontinued 8226RC12				
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	70cm				8226TF	8326TF	8426TF		
	30mm	3/8 Rev. Cut	70cm				8230RC	8330RC			



POLY P-DIOXANONE MONOFILAMENT SUTURES

	Needle Size	Needle Description	Strand Length	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine	70cm 75cm					8030TF	8230TF 8230TF75	8330TF			
 REVERSE CUTTING (RC) ▼	36mm	1/2 Rev. Cut	70cm				8136RC	8036RC	8236RC				
 TAPER FINE (TF) ●	36mm	1/2 Taper Fine	70cm				8136TF		8236TF	8336TF			
 TAPER HEAVY (TH) ●	36mm	1/2 Taper Heavy	70cm					8036TH					
 REVERSE CUTTING (RC) ▼	40mm	1/2 Rev. Cut	90cm				8140RC	8040RC					
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	90cm				8140TH	8040TH	8240TH				
 TAPER HEAVY LOOP (THL) ●	40mm	1/2 Taper Heavy Loop	150cm 240cm				8140THL 8140THL240						
 TAPER HEAVY (TH) ●	48mm	1/2 Rev. Cut	75cm				8148RC						
 TAPER CUTTING HEAVY LOOP (TCHL) ●	48mm	1/2 Taper Heavy 1/2 Taper Cut Heavy Loop	90cm 150cm				8148TH 8148TCHL	8048TCHL					
 TAPER CUTTING HEAVY LOOP (TCHL) ●	65mm	1/2 Taper Cut Heavy Loop	220cm				8165TCHL						



UNDYED PGCL RAPID MONOFILAMENT SUTURES

	USP Gauge			2	1	0	2/0	3/0	4/0	5/0	6/0
	Needle Size	Needle Description	Strand Length								
	11mm	3/8 Super Glide Violet	45cm								Q8611RC Q8611RC
 SUPER GLIDE UNDYED (SG-U) ▼	11mm	3/8 Super Glide Undyed	45cm								Q8611RC-U Q8611RC-U
	13mm	3/8 Super Glide Violet	45cm							Q8513RC Q8513RC	
 SUPER GLIDE UNDYED (SG-U) ▼	13mm	3/8 Super Glide Undyed	45cm						Q8413RC-U Q8413FRC-U	Q8513RC-U Q8513RC-U	
	16mm	3/8 Rev. Cut Undyed	70cm						Q8416RC-U	Q8516RC-U	
	16mm	3/8 Super Glide Violet	45cm							Q8516RC Q8516RC	
 SUPER GLIDE UNDYED (SG-U) ▼	16mm	3/8 Super Glide Undyed	70cm						Q8416SG-U Discontinued	Q8516SG-U Discontinued	
	17mm	1/2 Taper Fine Violet	70cm							Q8517TF	
 TAPER FINE UNDYED (TF-U) ●	17mm	1/2 Taper Fine Undyed	70cm						Q8417TF-U	Q8517TF-U	
	19mm	3/8 Rev. Cut Violet	70cm						Q8419RC	Q8519RC	
	19mm	3/8 Rev. Cut Undyed	70cm					Q8319FRC-U	Q8419RC-U	Q8519RC-U	
 SUPER GLIDE UNDYED (SG-U) ▼	19mm	3/8 Super Glide Undyed	45cm					Q8319SG-U Q8319SG-45			
 SUPER GLIDE UNDYED (SG-U) ▼	19mm	3/8 Super Glide Undyed	70cm					Q8319SG-U Q8319SG-70	Q8419SG-U Q8419SG-70	Q8519SG-U Q8519SG-70	
	20mm 22mm	1/2 Taper Fine Violet	70cm						Q8420TF		
	24mm	3/8 Rev. Cut Violet	70cm					Q8324RC	Q8424RC		
	24mm	3/8 Rev. Cut Undyed	70cm				Q8224FRC-U	Q8324RC-U	Q8424RC-U		
 SUPER GLIDE UNDYED (SG-U) ▼	24mm	3/8 Super Glide Undyed	70cm				Q8224SG-U Q8224SG-70	Q8324SG-U Q8324SG-70	Q8424SG-U Q8424SG-70		
	26mm	3/8 Rev. Cut Violet	70cm 75cm				Q8226RC	Q8326RC-U Q8326RC75-U			



UNDYED PGCL RAPID MONOFILAMENT SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER CUTTING UNDYED (TC-U)	26mm	3/8 Rev. Cut Undyed	70cm				Q8226RC-U				
	26mm	1/2 Taper Cut Undyed	70cm				Q8226TC-U				
	26mm	1/2 Taper Fine Violet	70cm				Q8226TF	Q8326TF			
	26mm	1/2 Taper Fine Undyed	70cm				Q8226TF-U	Q8326TF-U			
	28mm	5/8 Taper Heavy Violet	70cm				Q8228TH				
 TAPER FINE UNDYED (TF-U)	30mm	3/8 Rev. Cut Undyed	70cm				Q8230RC-U				
	30mm	Violet 1/2 Taper Fine Undyed	70cm				Q8230TF Q8230TF-U	Q8330TF-U			
 REVERSE CUTTING UNDYED (R-U)C	36mm	1/2 Rev. Cut Violet	70cm			Q8036RC	Q8236RC				
	36mm	1/2 Rev. Cut Undyed	70cm			Q8036RC-U	Q8236RC-U				
	40mm	1/2 Rev. Cut Violet Undyed	90cm		Q8140RC Q8140RC-U						
	40mm	1/2 Taper Heavy Violet	70cm		Q8140TH	Q8040TH					
 TAPER HEAVY UNDYED (TH)	40mm	1/2 Taper Heavy Undyed	70cm		Q8140TH-U	Q8040TH-U					
	45mm	1/2 Taper Heavy Violet	90cm		Q8145TH-						
	60mm	Straight Cutting	70cm				Q8260SC-U	Q8360SC-U			




POLYPROPYLENE BRAIDED SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 FINE REVERSE CUTTING (FRC) ▼	10mm	3/8 Rev. Cut	75cm								9610RC75
 FINE REVERSE CUTTING (FRC) ▼	13mm	3/8 Rev. Cut	75cm							9513RC75	9613RC75
 TAPER FINE (TF) ●	13mm	1/2 Taper Fine	75cm							9513TF	9613TF
 TAPER FINE (TF2) ●	13mm	1/2 Taper Fine x 2	75cm								9613TF2
 TAPER FINE (TF2) ●	13mm	1/2 Taper Fine x 2	90cm							9513TF2	
	16mm	1/2 Taper Cut x 2 3/8 Rev. Cut	90cm 45/75cm						9416TC2 9416RC/75	9516RC	
 TAPER FINE (TF2) ●	16mm	1/2 Taper Fine 1/2 Taper Fine x 2	90cm 90cm						9416TF	9516TF2	
	17mm	1/2 Taper Cut Double Arm	90cm				9217TC2			9517TC 9517TC2	
 TAPER FINE (TF) ●	17mm	1/2 Taper Fine	75cm						9417TF	9517TF	
 TAPER FINE (TF2) ●	17mm	1/2 Taper Fine x 2	90cm						9417TF2	9517TF2	
 REVERSE CUTTING (RC) ▼	19mm	3/8 Rev. Cut	45cm 75cm					9319RC 9319RC75	9419RC 9419RC75	9519RC 9519RC75	
 REVERSE CUTTING (RC) ▼	22mm 24mm	1/2 Taper Fine 3/8 Rev. Cut	75cm 45cm					9322TF 9324RC			
 FINE CONVENTIONAL CUTTING (FCC) ▲	20mm 25mm	3/8 Conv. Cut 3/8 Conv. Cut	45cm 45cm					9325FCC		9520FCC	
 REVERSE CUTTING (RC) ▼	26mm	3/8 Rev. Cut	75cm				9226RC	9326RC75			
 TAPER CUTTING (TC2) ⊕	26mm	1/2 Taper Cut x 2	90cm				9226TC2	9326TC2	9426TC2		



POLYPROPYLENE BRAIDED SUTURES

	Needle Size	USP Gauge		2	1	0	2/0	3/0	4/0	5/0	6/0
		Needle Description	Strand Length								
 TAPER FINE (TF) ●	26mm	1/2 Taper Fine	75cm			9026TF	9226TF	9326TF	9426TF		
	26mm	1/2 Taper Fine x 2	90cm				9226TF2	9326TF2	9426TF2		
	30mm	3/8 Rev. Cut	75cm				9230RC				
 TAPER FINE (TF) ●	30mm	1/2 Taper Fine Double Arm	75cm 90cm			9030TF 9030TF2					
 TAPER FINE (TF2) ●	30mm	1/2 Taper Fine 1/2 Taper Fine x 2	90cm 90cm				9230TF 9230TF2				
 TAPER CUTTING (TC) ⊕	35mm	1/2 Taper Cut	100cm			9035TC					
	36mm	1/2 Rev. Cut	90cm		9136RC						
	40mm	1/2 Rev. Cut	100cm	92240RC	9140RC	9040RC					
 TAPER FINE (TF) ●	40mm	1/2 Taper Fine	75cm		9140TF	9040TF					
 TAPER HEAVY (TH) ●	40mm	1/2 Taper Heavy	100cm	92240TH	9140TH 713636	9040TH					
 STRAIGHT CUTTING (SC) ▲	60mm 75mm	Straight Cutting	75cm 100cm				9260SC 9275SC				